

S12 Cardiology

S12 Cardiology

Specialty code	Package Code	Package name	Package Amount	Preauth Required or Not (Y/N)	Mandatory investigations for pre-auth	Post-Op investigation s for claims submission	Average length of Stay (Including Days in intensive care units)	Govt Reserved Procedure (Y/N)	Medical (M) or Surgical (S)
S12	0001	Balloon Atrial Septostomy	18,000	Y	2D ECHO report	2D ECHO report		N	S
S12	0002	Balloon Aortic Valvotomy	25,000	Y	2D ECHO report	2D ECHO report		N	S
S12	0003	Balloon Mitral Valvotomy	27,500	Y	2D ECHO report	2D ECHO report		N	S
S12	0004	Balloon Pulmonary Valvotomy	25,000	Y	2D ECHO report	2D ECHO report		N	S
S12	0005	Vertebral Angioplasty with single stent (medicated)	50,000	Y	2D ECHO	Post op. Angiogram report	2	N	S
					Angiogram report	Carton of the stent used approved by			

						FDA/DCGI only			
S12	0006	Vertebral Angioplasty with double stent (medicated)	65,000	Y	2D ECHO	Post op. Angiogram report	2	N	S
					Angiogram report	Carton of the stents used approved by FDA/DCGI only			
S12	0007	Carotid angioplasty with stent (medicated)	130,000	Y	Angiogram report & film showing the lesion	Post lesion	2	N	S
						X Ray			
						Doppler			
						carton of the stent used approved by FDA/DCGI only			
S12	0008	Renal Angioplasty with single stent (medicated)	50,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow	2	N	S
					2D ECHO	carton of the stents used approved by			

						FDA/DCGI only			
					CAG stills showing blocks & Reports				
S12	0009	Renal Angioplasty with double stent (medicated)	65,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow	2	N	S
					2D ECHO	carton of the stents used approved by FDA/DCGI only			
					CAG stills showing blocks & Reports				
S12	0010	Peripheral Angioplasty with balloon	25,000	Y	2D ECHO	Post procedure Angio stills	2	N	S
					CAG stills showing blocks & Reports				
S12	0011	Peripheral Angioplasty with	50,000	Y	2D ECHO	Post procedure	2	N	S

		stent (medicated)				Angio stills			
					Angiogram report & stills	carton of the stents used approved by FDA/DCGI only			
S12	0012	Coarctation dilatation	25,000	Y	2D ECHO report	2D ECHO report + stills of ECHO		N	S
S12	0013	Medical treatment of Acute MI with Thrombolysis /Stuck Valve Thrombolysis	10,000	Y	2D ECHO	2D ECHO		N	S
					CPK-MB	ECG			
					CAG	Lab Investigation (Troponine – T report)			
					ECG with report				
					TROPONINE-T report				
S12	0014	ASD Device Closure	80,000	Y	2D ECHO report – TRPG	2D ECHO stills showing the device + Report		N	S
S12	0015	VSD Device Closure	80,000	Y	2D ECHO report – TRPG	2D ECHO stills showing the device +		N	S

						Report			
S12	0016	PDA Device Closure	40,000	Y	2D ECHO report	2D ECHO stills showing the device + Report		N	S
S12	0017	PDA multiple Coil insertion	20,000	Y	2D ECHO report	2D ECHO stills showing the coil + Report		N	S
S12	0018	PDA Coil (one) insertion	15,000	Y	2D ECHO report	2D ECHO stills showing the coil + Report		N	S
S12	0019	PDA stenting	40,000	Y	2D ECHO	Post procedure Angio stills		N	S
					Angiogram report & stills				
S12	0020	Pericardiocentesis	4,000	Y	2D ECHO report	2D ECHO report		N	S
S12	0021	Temporary Pacemaker implantation	10,000	Y	ECG	X Ray showing the pacemaker in situ		N	S
					Report by cardiologist				

S12	0022	Permanent pacemaker implantation (only VVI) including Pacemaker value/pulse generator replacement (DOUBLE CHAMBER)	60,000	Y	ECG	X Ray showing the pacemaker in situ	7 (2-day ICU stay)	N	S
					Report by cardiologist				
					Anigiogram report if done				
S12	0023	Permanent pacemaker implantation (only VVI) including Pacemaker value/pulse generator replacement (SINGLE CHAMBER)	50,000	Y	ECG	X Ray showing the pacemaker in situ	7 (2-day ICU stay)	N	S
					Report by cardiologist				
					Anigiogram report if done				
S12	0024	PTCA – single stent (medicated, inclusive of diagnostic angiogram)	65,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow	3	N	S
					2D ECHO	carton of the stents used approved by FDA/DCGI only			

					CAG stills showing blocks & Reports				
S12	0025	PTCA – double stent (medicated, inclusive of diagnostic angiogram)	90,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow	3	N	S
					2D ECHO	carton of the stents used approved by FDA/DCGI only			
					CAG stills showing blocks & Reports				
S12	0026	PTCA – additonal stent (linked to package no:0025)	28,849	Y	CAG stills showing blocks & Reports	carton of the stents used approved by FDA/DCGI only		N	S
S12	0027	PTSMA	25,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow	3	N	S

					2D ECHO	Carton of the stents used approved by FDA/DCGI only			
					CAG stills showing blocks & reports				
S12	0028	Pulmonary artery stenting	40,000	Y	2D ECHO	Post procedure Angio stills		N	S
					Angiogram report & stills				
S12	0029	Pulmonary artery stenting (double)	65,000	Y	2D ECHO	Post procedure Angio stills		N	S
					Angiogram report & stills				
S12	0030	Right ventricular outflow tract (RVOT) stenting	40,000	Y	2D ECHO	Post procedure Angio stills		N	S
					Angiogram report & stills				
S12	0032	Rotablation+ Balloon Angioplasty + 1 stent	100,000	Y	ECG	Post op. Angiogram report, showing stent		N	S

		(medicated)				& post Stent flow			
					2D ECHO	carton of the stents used approved by FDA/DCGI only			
					CAG stills showing blocks & Reports				
S12	0033	Rotablation+ Balloon Angioplasty + 2 stent (medicated)	125,000	Y	ECG	Post op. Angiogram report, showing stent & post Stent flow		N	S
					2D ECHO	carton of the stents used approved by FDA/DCGI only			
					CAG stills showing blocks & Reports				
S12	0034	Thrombolysis for peripheral ischemia	10,000	Y	Peripheral Angiogram /Doppler Report with Stills	Post procedure Angio stills		N	S

S12	0035	Bronchial artery Embolisation (for Haemoptysis)	25,000	Y	Chest x-Ray/CT Scan	Chest x-Ray/CT Scan	2	N	S
					Hb	Hb			
					Serum Creatinine	Serum Creatinine			
S12	0036	Percutaneous Transluminal Tricuspid Commissurotomy (PTTC)	25,000	Y	2D ECHO	2D ECHO	2	N	S
S12	0037	Coiling – Pseudoaneurysms of Abdomen	55,000	Y	Prothrombin Time (PT)	CT	2	N	S
					International normalized ratio (INR)	Prothrombin Time (PT)			
					Hb	International normalized ratio (INR)			
					Serum Creatinine	Hb			
						Serum Creatinine			
S12	0038	Embolization – Arteriovenous Malformation	40,000	Y	Ultrasound	Ultrasound	2	N	S
					CT	CT			

		(AVM) in the Limbs			Prothrombin Time (PT)	Prothrombin Time (PT)			
					INR	INR			
					Hb	Hb			
					Serum Creatinine	Serum Creatinine			
S12	0039	Catheter directed Thrombolysis for: Deep vein thrombosis (DVT), Mesenteric Thrombosis & Peripheral vessels with Tenecteplase	50,000	Y	CT/MRI	CT/MRI	2	N	S
					Prothrombin Time (PT)	Prothrombin Time (PT)			
					International normalized ratio (INR)	International normalized ratio (INR)			
					Hb	Hb			
					Serum Creatinine	Serum Creatinine			
S12	0040	Peripheral Embolectomy without Graft	30000	Y	ANGIOGRAM , Spiral CT Angiogram	Color Doppler		N	S
S12	0041	Small Arterial Aneurysms -Repair	18000	Y	ANGIOGRAM , Spiral CT Angiogram	Color Doppler		N	S

S12	0042	Medium size Arterial Aneurysms-Repair	60000	Y	ANGIOGRAM , Spiral CT Angiogram	Color Doppler		N	S
S12	0043	Medium size Arterial Aneurysms with synthetic graft	90000	Y	ANGIOGRAM , Spiral CT Angiogram	Color Doppler		N	S